Page 1 of 39

JEANETTE AGRAFOJO-LEVY GREGORY W. ALBERTY REBECCA V AMENT JACK R. ANDERSON THOMAS M. ASKEW THOMAS M. ASKEW
RYAN J. ASSINK
VADEN F. BALES
LISA K. BICKLE
DONALD M. BINGHAM
PETER W. BROULE
DONINA CHAVEZ BRUSS
SCOTT W. BYRD
JULL, CHASE
STEPHEN L. CORTES
DONNA MARIE DE SIMONE
ROBERT P. DEAN
EDWARD D. DILLON
JANET S. DUMONT
IRAL EDWARDS, JR.
IRAL EDWARDS, JR.
IRAL EDWARDS, JR.
IRAL EDWARDS, JR.
IRAL EDWARDS, JR. BART 1 GARBUTT

STEPHEN E. HALE
MELVIN C. HALL
SHARON E. HAMM
ZACHERY R. HARGIS
JERRI L. HALL
HOLLY M. HILLERMAN
ROBERT E. HLOWARD
VAUGHN ISKANIAN
M. GREGORY JAMES
STEVEN JANISZEWSKI
DEBORAH L. JOHNSTONE
KIEMONN L. JOHNSTONE
KIEMONN L. JONSTONE
KIEMONN L. JONSTONE
KIEMONN E. KOPSEL
TERRY D. KORDELISKI, I
JOSEPH P. LENNART
TYLER D. LEONARD
TYLER D. LEONARD
TYLER D. LEONARD
C. S. LEWIS, I
JOSEPH P. LENNART
TYLER D. LEONARD
TYLER D. LEONARD
TYLER D. LEONARD
JOSEPH P. LENNART
TYLER D. LEONARD
TYLER D. LEONARD
JOHN ROSS MALCY
MANT D. MATTENAN
JESSE D. MELESTER
RAYMOND A. MELTON STEPHEN E. HALE

RIGGS, ABNEY, NEAL, TURPEN, ORBISON & LEWIS

A PROFESSIONAL CORPORATION ATTORNEYS AND COUNSELORS AT LAW THE PARAGON BUILDING SUITE 101 **5801 BROADWAY EXTENSION** OKLAHOMA CITY, OKLAHOMA 73118-7489 (405) 843-9909 Fax (405) 842-2913

March 30, 2009

JYOTI PANDYA
GEOFFREY L. PEARSON
CHERYL A PETERSON
AMY M. PLANK
JAMES R. POLAN
RICHARD P. POORMON
FRED RAHAL, JR. M DAVID RIGGS
STEPHEN B. RILEY
RANDALL A RIMQUEST
CLARA ROMERO
MARY J ROUNDS
DEIRDRE A SANTOSCOY
JOHN E SCIPIONE
WILLIAM C. SEARCY
KRISTEN E. SHILLINGTON
ROBERT P. SKEITH
KENNETH M. SMITH

VIA ELECTRONIC MAIL

SCOTT D. SMITH
BETTY J. SOMMARS
KIMBERLY V. SPARKS
BEVERLY A. STEWART
SEVENTY STEWART
SEVENTY STEWART
SEVENTY STEWART
SON THOMES AN
KIND SON CHERYL A. TOMAN
SONIA M TREI
MICHAEL C. TUPPEN
LINDA VAN ARKELGREUBEL
KAREN CARED WALSH
SMARON K. WEAVER
JOSEPH R. WELLS
BRIAN S. WILKERSON
JERRY L. WITM
INCHAEL P. WOMACK
GARY W. WOOD
TRACY S. ZAHL

Bruce Jones, Esq. Faegre & Benson 2200 Wells Fargo Center 90 S. 7th Street Minneapolis, MN 35402

Your letter of March 24, 2009 regarding the State's Responses to Cargill Defendants' discovery request of February 17, 2009

Dear Bruce:

Despite the fact that the Cargill Defendants have improperly filed their motion to compel. after I agreed to confer with you, I am writing in response to your letter of March 24, 2009, in which you made several criticisms of the State's responses to the Cargill Defendants' various discovery requests of February 17, 2009. I want to address in particular your criticisms of the State's answers to Interrogatories 2-4, and Request for Production 5 and 6.

Each of these discovery requests deals, in one fashion or another, with instances in which wastes generated by birds owned by the Cargill Defendants was applied on the land. Because it has never been disputed, so far as I know, that the Cargill Defendants know the locations of their own facilities, and those of the contractors to which they deliver birds that generate wastes, I assume you are not concerned about those locations where waste from your clients' birds first hits the ground. I assume as well you know the identities of your clients' contract growers.1 Further, I assume you are concerned about those times and places in which the waste is moved from where your clients' birds first place it.

You claim that the State's responses are not sufficiently specific to allow the Cargill Defendants to know to which documents the State refers when it directs you to the grower and applicator files of the ODAFF. It may be that you have not personally reviewed these documents, but surely other members of Cargill's legal team have done so, and are doubtless familiar with them. In the event your criticisms are more than another disingenuous make work

Exhibit 1 to the State's Supplemental Response to Cargill, Inc.'s Interrogatories (dated October 19, 2007), which was itself Exhibit 2 to the State's responses of March 19, 2009, was a list of Cargill entity growers for which files have been assigned Bates numbers and which have been produced to the Defendants from ODAFF.

March 30, 2009 Page 2

project, and your *really do not know* which documents in the ODAFF production show where your client's poultry waste goes, I will endeavor to describe the particular types of documents containing that information. In this regard, I am attaching hereto examples of such documents to assist you.

ODAFF files for your clients' growers, or for your clients' own facilities if they have them, contain documents that show where and when your clients' waste is land applied. For instance, I have handy from last Friday's deposition of Dr. Smolen the Animal Waste Management Plan (AWMP) for W. A. Saunders, which I offer as an example only, because I believe he grows for another Defendant.² However, the AWMP form shows the location of his farm, and particularly the fields upon which he applies waste. See Exhibit 1 hereto, at Bates OKDA 0016182. Check the AWMPs of your clients' growers for similar information in similar locations. Additionally, many AWMPs have aerial photos which show the locations of the fields themselves. See OKDA 0016185-86 (which are not particularly good copies, but serve as illustrations of what to look for). Finally, Legal Location Platt forms like OKDA 0016200-01 show the location of the farms which are the subject of the AWMP.

As you know, growers sometimes sell or give waste away to others. Exhibit 2 to this letter contains excerpts from the file for Cargill grower Ernest Doyle which was used as an example in the State's October 17, 2007 supplemental discovery response, and carries Bates range OKDA0002994-3107.3 You may recall that the STPs of Mr. Dovle's farm are so highly elevated that he is not permitted to land apply any more waste on his own farm. See OKDA 0003077 and 3084. However, within the ODAFF files you will find several types of reports which reveal what the grower does with litter he cannot use on his home place. Report forms such as that found at OKDA0003028 indicate to whom Mr. Doyle transferred his waste (in this case, Mr. Phil Keeter, Rte 3, Stillwell, OK). Look for forms of this sort to trace your clients' waste. Additionally, look for checklists like OKDA 0003041 and 3044 which show Mr. Doyle sold or gave waste to Mr. Jack Simmons, Rte 3, Stillwell, OK. Also, look for report forms like OKDA 0003094, 3100, 3102, and 3104 which, although blank in Mr. Doyle's case. are also used to record where wastes are placed. Forms like OKDA 0003105 also show where waste was placed, in this instance with Mr. Jack Simmons and Mr. Albert Leach, and shows a post office box address for each. Finally, see forms like that found at OKDA 0003107 which shows both where the waste originates and the legal description of where it applied, and the name of the recipient. You may have to locate the recipient's file to see where more precisely where he placed it, but this is precisely the search the State would have to make, and the burden of ascertaining the answer will be substantially the same for the Cargill Defendants as for the State.

Mr. Saunders' AWMP has been made an exhibit by the Defendants in at least two depositions, both of which were attended by Cargill counsel. Presumably the Cargill Defendants know how to read an AWMP and extract information from the form.

The Cargill Defendants asked similar questions to which the State responded in October, 2007. I am surprised that the location of your clients' waste continues to be an issue, in light of the documents produced from ODAFF and from other discovery in the case.

March 30, 2009 Page 3

ODAFF applicator files contain forms like that attached as Exhibit 3 to this letter. This form is similar to the one used by Mr. Doyle to show the source of the waste and the name and location of the recipient. Once again, you may have to check the recipient's file to get a more precise location for the destination of your clients' waste, but this is no more burdensome than the search the State would have to make to answer your interrogatories.

At a more general level, the expert report of Dr. Engel indicated, based upon an analysis of ODAFF records, that 30% of the waste generated was disposed of within a mile of where it was generated (or in the same one mile section), 67.5% was disposed of within two miles of where it was generated, and 80% was disposed of within 3.6 miles of where it was generated in the IRW. Engel report at p. 23. Dr. Engel noted that Dr. Fisher found a similar pattern in his analysis of Arkansas nutrient management plans. *Id.* Because there is no such thing as zero discharge from a field where there is runoff, Coale PI Tr. 1790:22-1791:12, and land application of poultry waste increases the concentration of P in the runoff, P from your clients' birds can reasonably be expected to be down gradient from land application sites and in the waters of the IRW. On Friday Dr. Smolen testified that it is the consensus of water quality professionals studying the IRW that P from poultry litter gets in the streams of this watershed.

I hope you will find this information helpful, in the event you actually had not looked at the pertinent documents and did not know what sort of documents revealed those locations where your clients waste came to be located. I am attempting to discuss your other concerns with the Attorney General's office and will respond to you as quickly as I can. Please call if you have any questions.

Sincerely yours,

(auce

Robert A. Nance FOR THE FIRM

Cc: Counsel of Record

ANIMAL WASTE MANAGEMENT PLAN W. A. Saunders Poultry Production Operation

Section 15-T20N R25E Other Property in: Section 11-T20N R25E Delaware County, Oklahoma

> ENTERED BY SEP 1 4 2005 KEITH SMITH

Agricultural Environmental Management Services (AEMS)

Oklahoma Department of Agriculture, Food and Forestry PO Box 528804 Oklahoma City, OK 74105

SEP 1 3 2005

AG ENVRONMENTAL MGNT SRVCS STATE DEPT, OF AGRICULTURE








TABLE OF CONTENTS

| 1 |
|-------|
| 2 |
| 2 |
| 3-4 |
| 4 |
| 4 |
| 4-5 |
| 5 |
| 5 |
| 6-7 |
| 8 |
| 9 |
| 10 |
| 11-15 |
| 16-19 |
| 20-21 |
| |

A. INTRODUCTION

Plants remove from the soil four to ten times as much nitrogen as phosphorus. Consequently a significant buildup of phosphorus in the soil can take place over a period of time. Much of the build up can be lost through runoff, which greatly reduces the quality of water downstream. Due to these water quality concerns, future land application of poultry litter will be based upon the phosphorus content in the soil and the amount of phosphorus in the chicken litter applied. The law requires that the Natural Resources Conservation Service (NRCS) recommendations for litter application rates be followed. NRCS recommends the application maximum of 200 lbs. of phosphorus per acre per year if the soil test shows a phosphorus index below 250, If the soil tests phosphorus index is between 250 and 400 then the rate applications are reduced by one-half. If the phosphorus index is above 400 then no litter is to be applied. If the maximum amount of litter that can be applied does not supply sufficient nitrogen for the desired production then nitrogen from other sources can be applied (ex: ammonium nitrate). About 50 lbs of nitrogen is needed to produce one ton of bermuda grass and about 60 lbs is needed to produce one ton of fescue.

B. DESCRIPTION OF OPERATION

This farm is located in an area of highly vulnerable groundwater. This waste management plan includes the production, handling, and distribution of waste and litter from five broiler houses. Three of these houses are each 40 feet wide and 400 feet long and the other two are each 40 feet wide and 300 feet long. They are located in Section 15, T.20N, R.25E., Delaware County, Oklahoma. On an average there will be 5.5 batches of chickens each year for a yearly production of 522,500 birds. Total average yearly waste and litter production is estimated, to be 500 tons. This waste is accumulated on a mixture of wood shavings and rice hulls bedding material and is completely removed each spring. Cake out is done on a regular basis and used for competing. The litter is spread on the surface of the ground when removed from the houses if conditions are right for spreading. There is not a litter storage barn available. If it should become necessary to store litter outside it will be protected from outside water and there will be no runoff from the stockpile. There are 558.5 acres in this property. About 400 acres are suitable for receiving litter (owner's estimate).

Page 2

C. APPLICATION RATES

Field 1,2,3,4 and 7:

Section 11, T.20N., R.25E.

Field 8:

Section 15, T.20N., R.25E. Delaware County, Oklahoma

Nutrient Content:

According to the latest (5/05) litter test, each ton of litter contains:

N-63 lbs. P2O5-79 lbs. K2O-67 lbs.

Soils test results (5/05):

| NO ₃ | P Index | K Index |
|--------------------------|---|---|
| 10 lbs | 14 | 78 |
| 14 lbs | 7 | 147 |
| 5 lbs | 65 | 184 |
| 6 lbs | 22 | 90 |
| 6 lbs | 10 | 80 |
| No soils test in 2005 | Litter will not be applied here. | Litter will not be applied here. |
| | 10 lbs 14 lbs 5 lbs 6 lbs 6 lbs No soils | 10 lbs |

Soils test P Index is below 250 in all fields tested. Litter can be applied at the full rate (200 lbs P2 Osper acre). 200 lbs. P2 Osdivided by 79 lbs P2 Os/ton of litter = 2.5 ton of litter per acre per year maximum application rate. This 2.5 tons will supply enough nitrogen to produce about 2.2 tons of bermuda grass or about 1.8 tous of fescue. (Fertilizer is 70 percent effective the first year). 500 ton of litter is available divided by 2.5 tons per acre = 200 acres that can be covered that the full rate.

The application of lime at the following rates will make the fertilizer more readily available for plane use.

| Field Number | Tons of EECE Lime Per Acre |
|--------------|----------------------------|
| 1 | 1.0 |
| 2 | 4.2 |
| 3 | 4,2 |
| 4 | 1.9 |
| 7 | 1,4 |

Do not apply litter adjacent to ponds, streams, or water wells.

Page 3

400 acres can receive litter at the rate of 2.5 tons per acre = 1000 tons that could be used on this property. This far exceed the liter production on this farm.

D. DEAD BIRD DISPOSAL

Birds from normal death loss are disposed of in a composter. Catastrophic losses are disposed of in a dug pit as approved by the appropriate poultry inspector. An alternate method is field composting.

E. WASTE UTILIZATION GUIDELINES

- All waste will be applied in accordance with all state and local laws and ordinances.
- 2. All waste applications will be timed to minimize pollution.
- 3. Any one of the following conditions will prohibit the surface application of litter:
 - a. High velocity wind is toward a populated area.
 - b. There is high probability of a runoff producing rainfall.
 - c. The ground is frozen.
 - d. Saturated conditions exist.
 - e. The Phosphorus Index is 300 or greater in nutrient limited watersheds.
 - f. The Phosphorus Index is 400 or greater in non-nutrient limited watersheds.
 - g. Frequently flooded areas.
 - h. Areas where there will be discharge from the application site.
 - i. Severely eroding areas.
 - j. Soils are less than 10 inches deep.
 - k. Slopes are greater than 15% (fifteen feet rise or fall in 100 feet).
 - I. Very stony areas.

F. BEST MANAGEMENT PRACTICES

- Apply litter not to exceed amounts given in the waste management plan or a revised recommendation based on new soil and litter tests.
- Obtain new soil and litter tests every year. A soil test is required only in fields when litter is to be applied.
- Secure enough soil tests to adequately represent the conditions of your farm. Generally one composite sample is needed for each 40 acres where litter is to be applied.

Page 4

- 5. Spread litter during growth season of dominant plants.
- 6. Control weeds and brush to maintain a good stand of grass.
- Do not apply litter within 50 to 100 feet of streams, ponds, and water wells. Buffer strips should be maintained in these areas.
- 8. On slopes of 8 to 15%, use one-half the normal prescribed rate of litter.

G. ENVIRONMENTAL STATEMENT

There are ponds and intermittent streams on this property that require special precautions when spreading litter (See statement F 7). There are some steep slopes (greater than 15), but they do receive litter) Slopes of 8 to 15 percent will receive litter at one half rate (1.25 tons per acre). Some areas are seasonally wet, which limits litter applications to certain times of the year. This farm is in an area of highly vulnerable groundwater.

H. ADDITIONAL INFORMATION

- 1. The dominant grasses are bermuda grass and fescue.
- 2. The owner hires cake out and clean out.
- 3. More land is being cleared of trees.
- 4. Most of the steep and/or stony areas are still in woodland.
- Keep records of amount of litter produced, date of total clean out, and where litter is applied if not sold.
- In the event any other party takes litter from this property, they must be given a copy of a current litter test.
- Litter and soil testing should be done about one month before time of total clean out. This will allow adequate time for test results to be returned and used in determining application rates.
- If further assistance is needed call Ed Abernathy at (918) 647-3094.

Page 5





Produced by the Oklahoma Department of Adriculture Geographic Information System

Page 6

OKDADD1618



Produced by the Oklahorna Department of Agriculture Geographic Information System.

5. T. = 50 11 Test

Page 7

OKDARO1618

Map Symbol CIE CIF

SgD Sn

Soil Name
Clarksville stony sitt loam, 5 to 20 percent slopes
Clarksville stony sitt loam, 20 to 50 percent slopes
Sallisaw gravelly Silt loam, 3 to 8 percent slopes
Staser gravel loam, (0 to 3 percent slopes)

Page 8

| ap Symbol | SOIL NAME AND DESCRIPTION |
|-----------|--|
| CIE | Clarksville stony silt loam, 5 to 20 percent slopes |
| | This is a deep, well drained to excessively drained soil with a stony, silt loam surface layer and a silty clay loam subsoil. It is low in natural fertility, organic matter content and available water capacity. |
| CIF | Clarksville stony silt loam, 20 to 50 percent slopes |
| | This is a deep, well drained to excessively drained soil with a stony, ailt loam surface layer and a silty clay loam subsoil. It is low in natural fertility, organic matter content and available water capacity. |
| SgD | Sallisaw gravelly Silt loam, 3 to 8 percent slopes |
| | This is a deep well drained soil with a gravelly silt loam surface layer and a gravelly silty clay loam subsoil. It is medium in natural fertility, organic matter content, and available water capacity. |
| Sn | Staser gravel loam, (0 to 3 percent slopes) |
| | This is a deep well drained soil that is gravelly loam throughout. It is high in natural fertility and organic matter content. The available water capacity is low. |



SOIL, WATER & FORAGE ANALYTICAL LABORATORY

Division of Agricultural Sciences and Natural Resources • Oklahoma State University Plant and Soil Sciences • 048 Agricultural Hall • Stillwater, OK 74078 Email; soils_lab@mail.pss.okstate.edu Website: www.soiltesting.okstate.edu

ANIMAL WASTE ANALYSIS REPORT

| | N C | Lab ID No: | 377812 | |
|----------------------|------------------|------------|----------------|----------|
| DELAWARE CTY EXT OFC | Name Al Saunders | | Castomer Code: | 21 |
| | ł | | Sample No: | 40 |
| PO BOX 1020 | Location: | | Date Received: | 5/4/2005 |
| JAY , OK 74346 | • | | ReportDate | 5/9/2005 |

| TEST RESULTS FOR: | - · Solid | SOURCE: Poultry | |
|-------------------|-------------|-----------------|-------------|
| TEST | As Received | As Received | · Dry Basis |
| | | lbs/ton | lbs/ton |
| Moistore | 21.9% | | • |
| DryMatter | 78.1% | | |
| pH | 8.4 | | |
| EC . | 12590 μS | • | • |
| Soluble Salts: | 8435 ppm | 16.87 | 21.60 |
| Phosporus (P2O5) | 3.93 % | 78.7 | 100.7 |
| Calcium (Ca) | 2.56% | 51.1 | 65.5 |
| Potassium (K2O) | 3.37% | 67.3 | 86.2 |
| Magnesium (Mg) | 0.59 % | 11.7 | 15.0 |
| Sodium (Na) | 0.94% | 18.8 | 24.0 |
| Sulfur (S) | 0.72% | 14.4 | 18.5 |
| Iron (Fe) | 265,3 ppm | 0.53 | 0.68 |
| Zinc (Zn) | 456.5 ppm | 10.0 | 1.17 |
| Copper (Cu) | 487.8 ppm | 0.98 | 1.25 |
| Manganess (Mn) | 521.3 ppm | 1.04 | 1.33 |
| Total C | 29.8 % | 596.2 | 763.3 |
| Total N | 3.1% | 62.7 | 80.2 |

DELAWARE COUNTY OSU EXTENSION CTR PO BOX 1020 - FAIR GROUNDS JAY, OK 74346 (918) 253-4332

JASON HOLLEHBACK

Extension Educator Conjugation 4-H

Page 10







Soil, Water & Forage Analytical Laboratory Oklahoma State University
048 Agricultural Hall, Stillwater, OK 74978
Email: Soils_Jab@mail.pss.okstate.edu



Page 1 of 1

SOIL TEST REPORT

| DELAWARE C | TY EXT OFC | Name: | | Lab ID No.: | 377611 |
|------------------------|------------------|--------------------|-----------|-----------------------|-----------|
| | | AL SAUNDERS | | .Customer Code: | 21 |
| PO BOX 1020 | | Location: | | Sample No.: | 4950 |
| JAY OK 74346 FIE | | FIELD 1 | | Received: | 5/3/2005 |
| (918) 253-4332 | | | 5/11/2005 | | |
| Re | action | NO:-N (ibs | /acre) | - Test Index(n | nahlich3) |
| pH; 5.6 | | Surface: | 10 | P: | 14 |
| Buffer Index: | 6.9 | Subsoit: | | K: | . 78 |
| Secondary Nutrients | | Micromute | ients | Addit | ional |
| Surface SO4-S (Ibs/A): | | Fe (ppm): | | OM (%): | |
| Subsoil SO4-S (| (bs/A): | Zn (ppm): | | | |
| Ca (Be/A): | | B (ppm): | | | • |
| Mg (the/A): | | | | | |
| | and Requirements | for Bermudagras | * | (YIELD GOAL = 2 tons/ | acrt) |
| Test | Interpretation | Requirement | | Recommendation and C | Comments |
| рH | Lime needed | 1.0 tons ECCE/A | | | |
| Mitrogen | Deficient | 90 lb /acre N | | | |
| Phosphorus | 71 % Sufficient | 52 lbe/acre P2Os a | mnually | | |
| Potassium | 66 % Sufficient | 78 fb /scre K2O an | mually | | |
| | · | Additional C | omments: | | • |

DELAWARE COUNTY OSU EXTENSION CT PO BOX 1020 - FAIR GROUNDS JAY, OK 74346 (918) 253-4332

Signature

http://139.78.184.162/soil/FertilityReport.asp?Login.Lab1D=377611

5/11/2005 Page 11





Soil, Water & Forage Analytical Laboratory Oklahoma State University
048 Agricultural Hall, Stillwater, OK 74078 Hniail: Soils lab@mail.pss.okstate.edu



SOIL TEST REPORT

| DELAWARE C | IT EXT OFG | Lewitter: | | Lab to No | 4/1012 | |
|-------------------------|------------------|-------------------|---------------|-------------------|----------------|----------|
| • | | AL SAUNDER | RS . | Customer Code: | 21 | |
| PO BOX 1020 | | Location: | | Sample No.: | 4951 | |
| JAY OK 7434 | | FIELD 2 Received: | | FIELD 2 Received: | | 5/3/2005 |
| (918) 263-4332 | | | | | 5/11/2005 | |
| | action | NO2-l | N (lbs/acre) | - Test ind | ex(mehlich3) — | |
| pH: | 4.5 | Surface: | 14 | P: | . 7 | |
| Buffer Index: | 5.8 | Subsoit | | K: | 147 | |
| - Secondary Nutrients - | | Micr | onutrients | A | dditional | |
| Surface SO+S (lbs/A): | | Fe (ppm): | | OM (%): | | |
| Subsoil SO4-S | (lbs/A): | Zn (ppm): | | | | |
| Ca (lbs/A): | | B (ppm); | | | • | |
| Mg (lbs/A): | • | | | | | |
| interpretation | and Requirements | for Berseu | dograss | (YIELD GOAL = 2 | lons/acre) | |
| Test | interpretation | Requiremen | nt . | Recommendation a | nd Comments | |
| pH | Lime needed | 4.2 tons EC | CE/A | | | |
| Mitrogen | Deficient | 86 lb facre N | ŧ | | | |
| Phosphorus | 60 % Sufficient | 65 lbs/acre f | 20s annually | | | |
| Potassium | 84 % Sufficient | 44 lb /acre K | 20 annually | | | |
| | | Additi | onal Comments | · · · · | • • • • | |

DELAWARE COUNTY OSU EXTENSION C PO BOX 1020 - FAIR GROUNDS JAY, OK 74346 (918) 253-4332

Signature

httn://139.78.184.162/soil/FertilityReport.asp?Login.LabID=377612





Page 17 of 39



Soil, Water & Forage Analytical Laboratory
Oklahoma State University
048 Agricultural Hall, Stillwater, OK 76078
Email: 5011s Jab@mail.pss.okstate.edu



SOIL TEST REPORT

| DELAWARE C | TY EXT OFC | Name: | | Lab ID No.: | 377613 |
|----------------|------------------|-------------------|----------|----------------|---------------|
| | | AL SAUNDERS | | Customer Code: | 21 |
| PO BOX 1020 | | Location: | | Sample No.: | 4952 |
| JAY OK 7434 | 6 | FIELD 3 | | Received: | 5/3/2005 |
| (918) 253-4332 | | | • | Report Date: | 5/11/2005 |
| | action | | | Test in | • |
| pH: | 4.5 | Surface: | 5 | P: | 65 |
| Buffer Index: | 6.2 | Subsoil: | | K: | 184 |
| Second | lary Nutrients | Micronu | trients | | Additional |
| Surface SO4-S | (lbs/A): | Fe (ppm): | | OM (%): | |
| Subsoil 604-8 | (ibs/A): | Zn (ppm): | | | |
| Ca (lbs/A): | | B (ppm): | | | |
| Mg (lbs/A): | • | | | | |
| Interpretation | and Requirements | for Bermudagr | 22.5 | (YIELD GOAL = | 2 tons/acre) |
| Test | interpretation | Requirement | | Recommendation | and Comments |
| рH | Lims needed | 4.2 tons ECCE/ | A | | |
| Nitrogen | Deticient | 95 lb /acre N | | | |
| Phosphorus | Adequate | None | | | |
| Potessium | 92 % Sufficient | 34 to facte K2O a | annually | | |
| ••• | | Additional | Comment | E | |
| | | | | | |

DELAWARE COUNTY OSU EXTENSION PO BOX 1020 - FAIR GROUNDS JAY, OK 74346 (915) 253-4332

Ji Miles

JASON HOLLENBACK
Extension Educator-Agriculture/4-H

Signature

http://139.78.184.162/soil/FertilityReport.asp?LoginLabID=377613

BARN 2005

Page 18 of 39



Soil, Water & Forage Analytical Laboratory
Oklahoma State University
048 Agricultural Hall, Stillwater, OK 74078
Email: Soils_lab@mail.pssokstate.edu



SOIL TEST REPORT

| DELAWARE CTY EXT OFC | | Name: | | Lab ID No.: | 377614 |
|----------------------|------------------|-------------------|----------|-------------------|-------------|
| | | AL SAUNDERS | | Customer Code: | 21 |
| PO BOX 1020 | | Location: | | Sample No.: | 4953 |
| JAY OK 7434 | 16 | FIELD 4 | | Received: . | 5/3/2005 |
| (918) 253-4332 | | | | Report Date: | 5/11/2005 |
| Re | ection | NO1-N (lb: | s/acre) | Test Inde | x(mehlich3) |
| pH: | 5.1 | Surface: | 6 | P: | 22 |
| Buffer index: | 6.6 | Subsoil: | | K: | 90 |
| Second | iery Nutrients | Micronut | rients | A | dditional |
| Surface 804-8 | (lbs/A): | Fe (ppm): | | OM (%): | |
| Subsoil SO4-8 | (lbs/A): | Zn (ppm): | | | |
| Ca (the/A): | | B (ppm): | | | |
| Mg (lbs/A): | • | | | | |
| interpretation | and Requirements | for Bermudagra | uri | (YIELD GOAL = 2 | tons/acre) |
| Test | interpretation | Requirement | | Recommendation as | nd Comments |
| pH | Lime needed | 1.9 tons ECCE/A | 1 | | |
| Nitrogen | Deficient | 94 to facre N | | | |
| Phosphorus | 82 % Sufficient | 38 libs/acre P2Os | annusliy | | |
| Potassium | 70 % Sufficient | 71 tb /acre K2O a | nnually | | |
| | | | | | • • |

Additional Comments:

DELAWARE COUNTY OSU EXTENSION CT PO BOX 1020 - FAIR GROUNDS JAY, OK 74346 (918) 253-4332

JABON HOLLENBACK
Estendos Educato Actointura/4-H

Signature Page 14





Soil, Water & Forage Analytical Laboratory
Oklahoma State University
048 Agricultural Hall, Stillwater, OK 74078
Email: Soils Lab@mail.pss.okstate.edu



SOIL TEST REPORT

| DETAMBLE (| IIT EAI UFG | LASTING! | | CHIN IO MOT | 3//6 |
|-------------------|------------------|-------------------|----------|----------------|------------------|
| • | | AL SAUNDERS | | Customer Cod | e: , |
| PO BOX 1020 | | Location: | | Sample No.: | - 491 |
| JAY OK 743 | 16 | FIELD 7 | | Received: | 5/3/200 |
| (918) 253-433 | (918) 253-4332 | | | Report Date: | 5/11/200 |
| | ection —— | NO+N (Ib | s/acre) | Test ! | ndex(mehlich3) — |
| pH: | 5.1 | Surface: | 6 | P: | 10 |
| Buffer Index: | 6.7 | Subsoil: | | K: | 80 |
| Secon | dary Nutrients | Micronut | rients | | - Additional |
| Surface SO4-S | (tbs/A): | Fe (ppm): | | OM (%): | |
| Subsoil SO4-S | (Bbs/A): | Zn (ppm): | | | |
| Ca (lbs/A): | | B (ppm): | | | |
| Mg (bs/A): | | | | | |
| Interpretation | and Requirements | for Bermudagra | 13.5 | (YIELD GOAL= | 2 tom/acre) |
| Test | Interpretation | Requirement | | Recommendation | and Comments |
| рН | Lime needed | 1.4 tons ECCE/A | ١ | | |
| . Nitrogen | Deficient | 94 lb /acre N | | | |
| Phosphorus | 65 % Sufficient | 60 lbs/scre P2Os | ennually | | |
| Potessium | 67 % Sufficient | 77 lb /scre K2O a | noually | | |
| ** ********* | | A ddittored | ^~ | | |


DELAWARE COUNTY OSU EXTENSION CT PO BOX 1020 - FAIR GROUNDS JAY, OK 74346 (918) 253-4332

JASON HOLLENBACK Extension Educator Acriculture/6-H

Signature

http://139.78.184.162/soil/FertilityReport.asp?LoginLabID=377615

5/11/2005




Produced by the Oklahoma Department of Agriculture Geographic Information System.

Page 16

THIS PAGE INTENTIONALLY LEFT BLANK





Produced by the Oklahama Department of Agriculture Genomobile Information System

Page 17

Produced by the Oklahoma Department of Agriculture Geographic Information System

Page 18

Produced by the Oldahoma Department of Agriculture Geographic Information System.

Page 19

Page 20

| | Ų. | WATER (| QUALITY S Legal Loc | alion Platt | | • | 1 CRITH |
|----------------------------|--------------------------|----------------------|-----------------------------|---------------------------------|----------|--------------|---|
| Facility Legal D County | Name U sec. Ollang | P.A. fai re coura | ndup Sec 11. ty.Otlan | T <u>aoN</u> R <u>z</u> homa | Eller | - 4 - | Siles: 10 ucre Scale: "= 000 " |
| | | | V | • | • | | • |
| · | | | | | | | |
| | · | | | · | | | |
| • | · | | | | | | |
| | | | |)—. - | | | |
| • | | | | | | | |
| | | | | | · | | |
| | | · | | | | | |
| | | <u></u> | | <u> </u> | <u> </u> | L | <u> </u> |

Page 21

DOYLE, ERNEST
STILWELL OK
INTEGRATOR - HONEYSUCKLE
WHITE
INSPECTOR - BERRY

Page 27 of 39

EXHIBIT 2

WASTE TEST RESULTS

FORM D

GIVEN?

Z Z

ž

Page 3 of 3

| | Registered Poultry Feeding Operations Checklist | |
|--|---|-------------|
| roducer: | nest Dayk Date: December 26 | 2000 |
| Records: Application records Current: Litter: | S: Yes X No Cleaned-out X Caked-out X | |
| | egal Description: | |
| Amount applied: | | No |
| Application Area L | egal Description: | |
| Date of Application Amount applied: | Amount stored; | |
| Rate applied? | Yes If so, what rate? | No |
| Application Area L | egal Description: | |
| Amount applied: | Amount stored: | |
| Rate applied? | Yes If so, what rate? | No |
| Date of Application | egal Description: | |
| Amount applied: Rate applied? | Yes If so, what rate? | No |
| Application Area L Date of Application Amount applied: | egal Description:Amount stored: | |
| Rate applied? | Yes If so, what rate? | No |
| Litter sold or given av Current litter sampl | le analysis available: Yes X No | |
| Name and address_ Date of removal | Jack Simmons Stilmell OK RJ. 3 | |
| Amount removed_ | 105 fen | |
| Name and address_ | Jack Simmons ". | |
| Date of removal | Octory 5, 1998 | |
| Amount removed | - K C | |
| Name and address_ | Dock Simmer 8 1999 | |
| Date of removal | Docember 8, 1999 | |
| Amount removed | 74 708 | |
| Name and address | Tack Simons February 10, 2000 | |
| Amount removed | 7 / C. | |
| Name and address | Dack Simmon | |
| Amount removed_ | 390 160 | |
| IS LAW OF THE DEAL STATE OF THE | ierts if necessary | |

PAGE 2 of 3

ORIGINAL - OFFICE

YELLOW - INSPECTOR

PINK - GROWER

Registered Poultry Feeding Operations Checklist

| roducer: Erne | est Do | _l /e | Date: December | 23,1999 |
|-------------------------------------|-------------------|-------------------|----------------|--------------|
| . Records: | | | | |
| Application records: | | | • | |
| Current: | Yes 🗶 | No | | |
| Litter: | Cleaned-out | Caked-out X | | |
| | | | | 0 1.12 |
| Application Area Le | gal Description: | Section 70 - T | 17N-R25E- | Treld > |
| Date of Application | Scotomb | 15 1998 | | |
| Amount applied: | 116 2005 | | Amount stored: | |
| Rate applied? | Yes | If so, what rate? | | No |
| Application Area Le | gal Description:_ | | | |
| Date of Application: | - | | | |
| Amount applied: | | | Amount stored: | |
| Rate applied? | Yes | If so, what rate? | Amount stored: | No |
| Application Area Le | gal Description:_ | | * | |
| Date of Application: | | | | ····· |
| Amount applied: | | | Amount stored: | |
| Rate applied? | Yes | If so, what rate? | Amount stored: | No |
| Application Area Le | gal Description:_ | <u></u> | | |
| Date of Application: | | | | |
| Amount applied: | , | | Amount stored: | |
| Rate applied? | Yes | If so, what rate? | | No |
| Application Area Le | gal Description:_ | | | |
| Date of Application: | | | | |
| Amount applied: | | | Amount stored: | |
| Rate applied? | Yes | If so, what rate? | | No |
| Litter sold or given awa | av | Yes_X No_ | | |
| Current litter sample | analysis availabl | e:Yes No | | |
| | | | 1 1 10 1 | n. 2 |
| Name and address | Jack S | MMOKS - 277 | well, OK . | <i>per 2</i> |
| Date of removal / Amount removed | 2-98 | | | |
| Amount removed | 112 YOA. | r | | |
| | | | | |
| Name and eddress | Jack | Mymon F- | • | |
| | | | | |
| Amount removed | 84 4 | on | | |
| | | | | |
| | | | | , |
| Date of removal | | | | |
| Amount removed | | | | |
| | | | | |
| | | | | |
| Amount removed | | | | |
| | | | | |
| Date of removal | | | | |
| Amount removed | | | | |
| ADD ADDITIONAL BHI | eets if necessar | Y Y | | |
| | | PAGE 2 of 3 | | |
| | | | | |

ORIGINAL -OFFICE

YELLOW - INSPECTOR

PINK - GROWER

RECEIVED

ANIMAL WASTE MANAGEMENT PLAN

JAN 0 2 2002

for

Water Quality::TATE DEPT OF AGRICULTURE

EARNEST DOYLE

developed by USDA-NRCS on February 1, 1999

Introduction

This waste management plan is developed for the Earnest Doyle poultry operation located in sections 30 and 19, Township 17 North, Range 25 East in Adair County, Oklahoma. This plan calls for the application of phosphorus which exceeds that amount which will be used by the plants. Application is based on assimilation of phosphorus in the soil profile. Prolonged applications of poultry waste to the same area can increase phosphorus content in the soil profile. This plan is developed to provide guidance in the management of wastes from production to utilization in a manner that prevents or minimizes degradation of eir, soil, and water resources.

Waste produced

Waste is produced in four houses containing a total of 20,500 turkeys. Litter is collected on the floor of the houses and decaked after each batch. A cake-out storage structure is planned to be built in 2000 if funds become available. Dead birds from normal mortality are disposed of in a composter located at the operation. Catastrophic losses will be buried in a pit located with assistance from the NRCS. Based upon December 1998 litter nutrient tests, the equivalent fertilizer values available for plant use of the animal waste to be applied is 65-84-59 (N-P₂O₅-K₂O) pounds per ton of litter. Litter analyses from this operation should be performed every three years.

Soil Nutrient Tests

Soil samples for fields 2,3,4 and 5 were taken in December 1998. These tests revealed that these areas should not have animal waste applied because the Phosphorus levels were higher than 400 lbs/ac. Field 2 had a P-index of 884 while field 3 was 728, field 4 was 811, and field 5 was 1064. If the soil P index on a field ever exceeds 220, soil tests must be completed annually before waste can be applied to that field. Soil samples should be taken according to OSU Fact Sheet No. 2207 at a depth of 6-8 inches.

Application areas

There are no fields available to accept animal waste.

Summary

According to estimates of litter production, 560 tons of animal waste will be produced from this operation annually. All 560 tons will need to be utilized off-site on soils that are capable of accepting animal waste. The producer plans to sell all of the litter produced at this operation and will not apply litter to his land.



SOIL, WATER & FORAGE ANALYTICAL LABORATORY

Division of Agricultural Sciences and Natural Resources • Oklahoma State University Plant and Soil Sciences • 048 Agricultural Hall • Stillwater, OK 74078

SOIL TEST REPORT

BOB WOODS NE DISTRICT ADAIR OSU EXTENSION 230 W OKMULGEE SUITE B MUSKOGEE, OK 74401 (918) 696-2253

- Interpretation -

Name: Earnest Doyle
Rt. 3 Box 1280
Location: Stilwell, DK 74960

#5

Lab I.D. No.: 190187 Customer Code: 1

Sample No: 4448
Received: 12/17/98
Report Date: 12/18/98

- Recommendations and Comments -

TEST RESULTS

- Test -

- Soil Reaction -- NO3-N (lbs/acre) -Test Index -Surface: 19 P (lbs/acre): 1063 oft: 5.8 Buffer Index: 7.0 Subsoil: K (lbs/acre): 337 - Micronutrients -- Secondary nutrients Ca (lbs/acre): Fe (ppm): Surface SO4-S (lbs/acre): Mg (lbs/acre): Zn (ppm): Subsoil SO4-S (ibs/acrc): B (ppm):

- Requirement -

INTERPRETATIONS AND REQUIREMENTS FOR Bermudagrass (YIELD GOAL = 3.00 tons/acre)

pH Adequate No lime required

Nitrogen Deficient 131 lbs/acre N

Phosphorus Adequate None

Potassium Adequate None

La Not use animal reductre on this site

apply 50/6 & N/T of production

4 5 T/M a possible with 300 - 350/65 AN/M

ar Elemes walls of N

Oktanoma State University U.S. Department of Agriculture, state, and local governments cooperating. Oktahoma Cuoperative Extension Service offers its programs to all elepholopersons repaidless of race, color national origin, religion, sex, age or disability and its in Equal Opportunity Employer.

AEMS011 (Rev 1/05)

APPLICATOR'S ADDRESS: APPLICATOR'S NAME:

OKLAHOMA DEPARTMENT OF AGRICULTURE, FOOD, AND FORESTRY POULTRY WASTE APPLICATION RECORD

ANNUAL REPORT FORM

THIS IS THE FORM YOUNEED TO SEND INTO ODAFF

use this form to report poultry waste applied for yourself or someone else

APPLICATOR'S PHONE

CONSERVATION
DISTRICT NAME
(WANTEASE) (HOTE: D'EAME HAME AS APPLICATOR, WASTE SAPE) Person receiving waste name & address WHERE POULTRY WASTE WAS LAND APPLIED \mathcal{L} W ED ナイ TONS PER ACRE WASTE APPLED مِنَ 9 HO. OF ACRES WASTE APPLIED TO 1 TONS OF WASTE APPLIED FEELD NAME OR NUMBER NOTE ALSO FLACE AND SEA WAS CHANGED APPLICATION
STTE
LEGAL
DESCRIPTION SHE SFK DATZ CONSERVATION DISTRICT NAME WHERE POULTRY WASTE WAS PRODUCED LEGAL DESCRIPTION SHO so Fr od SHO 00 H A SHK SHA

OKDA0003094

*T = Township S = Section "R = Range

Oklahoma Department of Agriculture, Food, and Ferestry

Mail To:

NOTE: PLEASE include name or number of the field the waste was applied to in the proper column on this sheet and also handwrite the appropriate field name or number on the lab results sheet.

Agricultural Environmental Management Services (Formerly Water Quality Services) P. O. Box 528804

*COPIES OF APPLICABLE SOIL & WASTE LAB REPORTS MUST BE PROVIDED WITH THIS REPORT

AESÍS000090 (Rev 1/01/04)

NAME, ADDRESS, CITY, STATE, ZIP

OKLAHOMA DEPARTMENT OF AGRICULTURE, FOOD, AND FORESTRY POULTRY WASTE APPLICATION RECORD ANNUAL REPORT FORM

THIS IS THE FORM YOU NEED TO SEND INTO ODAFF

| | CONSERVATION DISTRICT & | | | | | | | d Forestry |
|---|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---|
| | PERSON RECEIVING WASTE | NOTE SCHÜNGSS | | | | | | Oklahoma Department of Agriculture, Food, and Forestry Agricultural Environmental Management Services (Formerty Water Quality Services) P. O. Box 528804 Oklahoma City, OK 73152-8804 |
| ORT WASTE | WASTE APPLED (TOWACRE) | | | | , | , | | Oklahoma Department of Agricultr Agricultural Environmental Manag (Formerty Water Quality Services) P. O. Box 528804 Oklahoma City, OK 73152-8804 |
| USED TO REPAREONE ELSE) | WASTE COVERED (ACKE) = | | | | , | | | |
| ONLY TO BE SELF OR SON | WASTE APPLED (TOKS)+ | | ER | APPLIED | • • | | | Mail To: |
| – THIS FORM IS R EITHER YOUR | LITTER TREATMENT METHOD USED (FAM) | \ \ \ \ \ \ \ \ \ \ | 177 | dat | | | | |
| (COMMERCIAL OR PRIVATE APPLICATORS – THIS FORM IS ONLY TO BE USED TO REPORT WASTE THAT YOU HAVE APPLIED FOR EITHER YOURSELFOR SOMEONE ELSE) | CONSERVATION DISTRUCT WHERE WASTE WAS PRODUCED | | | | | | | |
| CIAL OR PRIN | MARTE WASTE WAS PRODUCED LEGAL DESCUPTION | or ⊢ æ | o F & | S II R | 25 to the second | S L M | инж | |
| OMINER | FTELD | | | | | | | a a |
| 9 | *SAMPLE DATE AND LAB USED | SAMPLE DATE: LAB USED: | SAMPLE DATE: LAB USED: | SAMPLE DATE: LAB USED: | SAMPLE DATE: LAB USED: | SAMPLE DATE: LAB USED: | SAMPLE DATE: LAB USED: | ** N = Nitrogen ** P = Phosphorus ** K = Potassium |
| | SOIL TRST RESULTS | g z o z | a z o z | axez E | 4 × • × | A A X | g K o K E | : : : |
| | APPLICATION SITE LEGAL DESCUETION *5.*T.*R | o ⊢ ≅ | wex | ∾ ⊢ ¤ | w t- cc | o r a | S F a | •S = Section *T = Township •R = Range |
| | DATE | | | | | | | *Y = Tc *R = Rc |

*COPIES OF SOIL & WASTE LAB REPORTS MUST BE PROVIDED

OKDA0003100

| you need to | | | | CONSERVATION DISTILLCT | & COUNTY. | | | | | | | | Forestry | |
|--|-------------------------|-----------------|--|--|---------------|-----------------|---------|---------------------------------|------------|-----------|---------|---------|---|----------------|
| SSTRY THIS IS THE FORM YOU NEED TO SEND INTO ODAFF | _ | 716 | | 315 | NAME &ADDRESS | | | | | | | | Oklahoma Department of Agriculture, Food, and Forestry Water Quality Services Division P. O. Box 528804 Oklahoma City, OK 73152-8804 | |
| OKLAHOMA DEPARTMENT OF AGRICULTURE, FOOD, AND FORESTRY SOLID POULTRY WASTE APPLICATION RECORD ANNUAL REPORT FORM | PHONE (| | (COMMERCIAL OR PRIVATE APPLICATORS – THIS FORM IS ONLY TO BE USED TO REPORT WASTE THAT YOU HAVE APPLIED FOR EITHER YOURSELF OR SOMEONE ELSE) | I | | | | , | | | | | Mail To: Oklahoma Depart Water Quality Ser. P. O. Box 528804 Oklahoma City, Ol | • |
| NT OF AGRICULTURE, F LTRY WASTE APPLICAT ANNUAL REPORT FORM | | TOWN | IS ONLY TO | WASTE COVERED (ACRES) | | | | | | | | | Ma | |
| AGRICU WASTE / L REPOJ | | | THIS FORM EITHER YO | WASTE APPLIED (TON) + | | | | | | | | | | SIDE |
| FOULTRY V ANNUA | | | APPLICATORS VE APPLIED FOR | CONSERVATION DISTRICT WHERE WASTE WAS | | | | | | | | | | SEE OTHER SIDE |
| MA DEPART SOLID | | | TAL OR PRIVATE THAT YOU HA | DENTIFY WHERE WASTE WAS PRODUCED LEGAL LEGAL DESCRIPTION | w in K | v ⊨ œ | 55 F E | N H W | w⊢¤ | SHE | SHR | ω ⊢ ≅ | | |
| OKLAHO | | | (COMNERC | FIELD | | | | | | | | | •• N = Nitrogen •• P = Phosphorus •• K = Potassium | |
| | NAME | | | SOIL TEST RESULTS | a z e z | TY A | t v v x | i i i i i i i | M Z M M | AZAX T | t v v n | 2 X * X | | |
| WQ000000 (Rev 403) | POULTRY APPLICATOR NAME | ADDRESS | | APPLICATION SITE LEGAL BESCRIPTION *5-*T-*R | STR | N H K | SHK | SHR | % - | SHE | s ⊨ æ | S F B | *S = Section *T = Township *R = Range | |
| 9000-M | POULTRY | MAILING ADDRESS | | DATE APPLIED | | -11-0-4V-n-V-11 | | | | | | | | |

SOLID POULTRY LITTER APPLICATION RECORD ANNUAL REPORT FORM

FORM C

| | ON . | | | | | | $\overline{\Gamma}$ | | | |
|---|--|--|------------|----------|---|-----|---------------------|-------|---|-------------|
| | S OF PERS LITTER DISTRICT N | FR | (0) | | | | | | | |
| | NAME AND ADDRESS OF PERSON RECEIVING LITTER AND CONSERVATION DISTRICT NAME | LETTER | 747 | | | | | | | |
| di2 | NAME A | | ELSE LAND. | | 0 | Į | | | | |
| | LITTER APPLED (TONS/ACRES) | APPLY ANY | /E , | | a | | | | | |
| PHONE (| 1 | , \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | AKYONE | u | 4 | } | . # | ls ls | H | n |
| H TOWN | AREA COVERED (ACRES) | AP1 | OR A | LETTER = | 0 | w ? |), | + | | |
| | LITTER APPLIED (TONS) | | 0 | L# 2 | · | · | Í | | | · |
| | | NOT | - 4NL | 774 | | | | | | |
| | SOURCE OF LITTER LEGAL DESCRIPTION AND CONSERVATION DISTRICT NAME | Z.D | MY LAND | 778 A705 | | | | | | |
| | | 7 | 70. | 9 | | | | | | |
| | FIELD NAME AND SOIL TEST RESULTS | | | | | | | | | |
| OR NAME | N SITE RIPTION ATTON VAME | | , | | | | | | | |
| APPLICAT DDRESS_ ATION DIS | APPLICATIO LEGAL DESCI CONSERVI DISTRICT I | | | | | | | | | |
| POULTRY APPLICATOR NAME MAILING ADDRESS CONSERVATION DISTRICT | DATE | | | | | | | | | |

*SEC= SECTION *T = TOWNSHIP *R = RANGE

**N = NITROGEN **P = PHOSPHORUS **K = POTASSIUM

| | | | | • | | | | | | (| | | | • | | |
|--|---|---|---|--|--|--|--|---|--|---|--|--|--|--|--|---|
| 9-3220 | 60 | LITTER TEST RESULTS . GIVEN? | 8 | HO | KES | NO | YES | | | | | | A THE RESERVE THE PROPERTY OF THE PARTY OF T | | | |
| NE (918) 770 | 7 ZZZ 749 | BASED ON DRY OR AS-IS WEIGHT? | 75 25 | 74 54 | ントン女 | A5 25 | A5 25 | | | | | | | | | |
| VEN AWAY | OWN STALWELL OK. | LITTER REMOVED (TONS OR CUBIC YARDS) | 39 LOBOS 4,5-7/10AD 4,5-7/10AD | 10 10 ADS | 41 40 405 | 39 40405 | 27 40401 2 2 10401 | | | | | | - | | | |
| RY LITTER SOLD OR GI $\frac{\partial \mathcal{O}/\lambda \mathcal{E}}{\partial \mathcal{O}}$ | | HAULER'S OR RECIPIENT'S ADDRESS INCLUDING PERSON FOR WHOM LITTER | R3 BOX 12.0 S.T.FL WELL, OK 24960 | | ÷ | R3 BOX 1215 STELWELL, OK, DA960 | | | | | | | | | A STATE OF THE PROPERTY OF THE | The second secon |
| ERNI | R#3 BOX | HAULER REMOVING OR PERSON RECEIVING LITTER INCLUDING PERSON FOR | WBOM LITTER WAS APPLIED JACK SIM MONS | | + | ALBERT, LEACH | + | | | | | | | | | |
| INDIVIDUAL'S | MAILING ADDI | DATE REMOVED FROM | SEPT. '0/ | NoV. '01 | JAK. 102 | 76 7=8 dt | JUNE 102 | | | | | | | | | |
| | POULTRY LITTER SOLD OR GIVEN AWAY $NEST DOYLE$ Phone $(9/8)$ $9.78-3220$ | FOULTRY LITTER SOLD OR GIVEN AWAY ERNEST DOYLE PHONE (9/8) 778-3220 R#3, 80 x 1280 TOWN STRIWELL ZIR 74960 OK. | POUL TRY LITTER SOLD OR GIVEN AWAY $ERNEST DOYLE$ $R#3 IS o x 1280$ Auler removing or haulen's or recipient's litter removed based on litter results cluding person for for whom litter cubic yards) weight? Given? | POULTRY LITTER SOLD OR GIVEN AWAY PRONE G/B O/B | POULTRY LITTER SOLD OR GIVEN AWAY PHONE G/B , $778-3220$ DRESS $R#3/Box/1280$ Town $S7z4\mu$ £ L There removes the same specific titter removed beased on the second specific considering the specific por whom litter was applied $R3/Box/1290$ $R3/Box/1290$ There removes the same specific tok $29/box/Box/Box/Box/Box/Box/Box/Box/Box/Box/B$ | POULTRY LITTER SOLD OR GIVEN AWAY STALL ALL ALL ALL ALL ALL ALL ALL ALL ALL | POULTRY LITTER SOLD OR GIVEN AWAY STALWELL IN PHONE (318) $)$ $)$ $)$ $)$ $)$ $)$ $)$ $)$ $)$ $)$ | POULTRY LITTER SOLD OR GIVEN AWAY PHONE $(3/8) 778-3220$ STALL $(3/8) 778-3220$ TOWN STALL $(3/8) 778-3220$ TOWN STALL $(3/8) 778-3220$ TOWN STALL $(3/8) 778-3220$ THAULER REMOVING OR HAUTER'S OR RECIPIENT'S ULTTER REMOVED BASED ON LITTER RESOURCE. TOR NOR OR PERSON RECEIVED TOR WHOM LITTER WAS APPLIED RESON RECEIVED OR PERSON (TORS OR DRY OR AS-IS TEST RESULTS) WHOM LITTER WAS APPLIED RESON RECEIVED OR ALLO OR 74960 11, 10, 10, 10, 10, 10, 10, 10, 10, 10, | POULTRY LITTER SOLD OR GIVEN AWAY PRONE $ER N EST DONLE$ PRONE $A = A = A = A = A = A = A = A = A = A $ | POULTRY LITTER SOLD OR GIVEN AWAY PROME $A = A = A = A = A = A = A = A = A = A $ | POULTRY LITTER SOLD OR GIVEN AWAY PHONE (3/8) 778-3220 DRESS R#3 80 x 1280 RAULEN REMOVED OR HAULEN'S OR RECIPIENT'S CON TOWN STRALL TO THE CALL TO | POULTRY LITTER SOLD OR GIVEN AWAY PRONE (3/8) 778-3220 OR- ALALER REMOVING OR HAUJER'S OR RECIPIENT'S PRONE (3/8) 778-3220 OR- ALALER REMOVING OR HAUJER'S OR RECIPIENT'S PRONE (3/8) 778-3220 OR- OR- ALALER REMOVING OR HAUJER'S OR RECIPIENT'S PRONE (3/8) 778-3220 OR- OR- OR- OR- OR- OR- OR- OR | POULTRY LITTER SOLD OR GIVEN AWAY S. NAME $ER UEST DOYLE$ PRONE $G S$) 778-3220 DRESS $RH3$, $So. K$ 1280 TOWN STALWELL ZIP 74960 OK. AUTER REMOVES OR HAULER'S OR RECPIENT'S CURST NAME OF THE NAME OF | POULTRY LITTER SOLD OR GIVEN A WAY PROME ER | POULTRY LITTER SOLD OR GIVEN AWAY STALWELL TO PHYCO OR. AUGUS OR RECEIVED TOWN STALWELL TO PHYCO OR. AUGUS OR ASSO INTERNATION RESSON RECEIVED THE RESON THE RESON FOR WHOM LITTER REMOVED RESON RECEIVED THE RESON FOR WHOM LITTER WHOM LITTER REMOVED TOWN STALWELL TO PHYCO OR. AUGUS OR ASSO OF THE RESON WEIGHT: AUGUS OF ASSO OF THE RESON AUGUS OF ASSO OF ASSO OF THE PHYCO AUGUS OF ASSO OF ASSO OF THE PHYCO AUGUS OF ASSO OF ASSO OF THE PHYCO AUGUS OF ASSO OF THE PHYCO AUGUS OF ASSO OF | POULTRY LITTER SOLD OR GIVEN AWAY STALW ELL TO DYLE PRONE $(3/8)$ $7/8 - 3/2 \times 0$ DDRESS RELEVANCE RAULER REMOVED RESON RECEVENCY TOWN STALW ELL TO PHYGE OK. ANDRESS INCLUDING PERSON RESON RECENTION THERE RESON RECENTION THE RESON RECENTION THE WELL OR PHYGE A TO THE RESON A TO TH |

WQ000090 9/01

SOLID POULTRY LITTER APPLICATION RECORD ANNUAL REPORT FORM

| . 078-3770 . | TOWN STALWELL OK. DAGE | The state of the s |
|-------------------------|------------------------|--|
| DOYLE | 0 | 2. |
| ERNEST | BOX 128 | ADATE C |
| POULTRY APPLICATOR NAME | MAILING ADDRESS R#3 | CONSERVATION DISTRICT |

| MANY AND ADDRESS OF PERSON | RECEIVING LITTER | JACK ST. W. NOW | R#3, BUX 1290 | STILWELLIOK | 09646 | | | | | | > | | |
|---|------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|-----------------------------|---|----------|
| LITTAR | (TOHB/ACRE) | γ, | 27 + 16 = 1.75 | 90 + 40 = 2,25 | 7 | γ, | 32 + 25 = 1.25 | CY. | 45 + 20 = 2.25 | 1,5 | = 7,5 | | 11 |
| ANKA COVERED (ACRES) | | 32 + 16 = 2 | . 16 | 70 | 77 + 40 = | 76 - 35 = | 7.5% | - 15 + | . 20 | 35 | /3 | | |
| LITTER | (rons) | 32 | 77 | 96 | 77. | + 94 | 3 | 31 | 45, | 58 + HS | 3/ | ÷ | 1 |
| SOURCE OF LITTER LEGAL DESCRIPTION AND CONSERVATION | TURKEY | 19-6/20 35 | 14-VRKEY APARE | TIS CHEY- | 74 RKEY 19-11-25 ADAER | | | | | | | | |
| FIRED NAME AND SOIL TEST RESULTS | XdN. | HO.ME PLACE | HOME PLACE | WEBB PLACE | WEBB PLACE | GRAMMELL | GRANNEES | WEBB PLACE | W. EBB PLACE | GRANNZEY | HERY PLACE | | |
| APPLICATION SITE LEGAL DESCRIPTION | X-H1DMR | 4-11-00 25-19-24 HOME PLACE | 9-30-00 25-17-24 HOME PLACE | 1-9-01 34-17-24 WEBB PLACE | 2-11-01 34-17-24 WEBB PLACE | 3-21-0125-17-24 BRAMBEN | 4-7-01 25-17-24 GRAMMZE'S | 5-10-01 34-17-24 WEBB PLACE | 5-14-01 34-17-24 WEBB PLACE | 6-6-01 25-17-24 GRANNEES | 6-29-01 34-17-24 HART PLACE | | |
| DATE | A PARTIES | 3-11-60 | 9-30-00 | 10-6-1 | 2-11-01 | 3-21-01 | 10-6-4 | 10-01-5 | 10-4/-5 | 10-9-9 | 10-62-9 | | |

*Sec = Section
*T = Township
*R = Range

**N = Nitrogen

**P = Phosphorus

**K = Potassium

*R = Range *T = Township

the waste was applied to in the proper column on this sheet and also handwrite the appropriate field name or number on NOTE: PLEASE include name or number of the field

Mail To:

the lab results sheet.

*S = Section

AEMS022 (Rev 1/07))

OKLAHOMA DEPARTMENT OF AGRICULTURE, FOOD, AND FORESTRY POULTRY WASTE APPLICATION RECORD

THIS IS THE FORM YOU NEED TO SEND INTO ODAFF


ANNUAL REPORT FORM

USE THIS FORM TO REPORT POULTRY WASTE APPLIED FOR YOURSELF OR SOMEONE ELSE

APPLICATOR'S ADDRESS: APPLICATOR'S NAME: APPLICATOR'S PHONE

| ¤ ⊣ α | ≈ -1 ∞ | R H S | R → S | æ ⊣ s | ¤ ⊢ ∞ | ≱ ⊢ ∞ | LEGAL DESCRIPTION | WHERE POULT |
|--------------|---------------|-------|---------------------|-------|-------|---------------|--|--------------------------------------|
| | | | | | | | CONSERVATION DISTRICT NAME | WHERE POULTRY WASTE WAS PRODUCED |
| | | | | | | | DATE | |
| π ⊣ ∞ | ∞ ⊣ ∞ | ¤ ⊣ o | ∞ → ∞ | ¤ i s | æ ⊣ ∞ | ≈ +1 ∞ | APPLICATION SITE LEGAL DESCRIPTION | |
| | | | | | | | FIELD NAME OR NUMBER NOTE: ALSO PLACE SAME NAME OR NUMBER ON LAB SHEET | |
| | | | | | | | TONS OF WASTE APPLIED | WHERE |
| | | | | | | | NO. OF ACRES WASTE APPLIED TO | POULTRY |
| | | | | | | | TONS PER ACRE WASTE APPLIED | WASTE WA |
| | | | | | | | PERSON RECEIVING WASTE NAME & ADDRESS (NOTE: IF SAME NAME AS APPLICATOR, WRITE SAME) | WHERE POULTRY WASTE WAS LAND APPLIED |
| | | | | | | | CONSERVATION DISTRICT NAME (IF SAME AS APPLICATOR WRITE SAME) | |

*COPIES OF APPLICABLE SOIL & WASTE LAB REPORTS MUST BE PROVIDED WITH THIS REPORT



Oklahoma City, OK 73152-8804

P. O. Box 528804